

FIG.1




FIG.2





FIG.3



09777928-0130

FIG.4

(1) SETUP

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
AAL PARAMETER
AAL TRAFFIC DESCRIPTOR
BROADBAND TRANSMISSION CAPABILITY
ARRIVAL NUMBER
ARRIVAL SUBADDRESS
CONNECTION IDENTIFIER
QOS PARAMETER

(2) CALLPROC

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
CONNECTION IDENTIFIER

(3) ALERT

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
CONNECTION IDENTIFIER
ELAPSE IDENTIFIER

FIG.5

(1) CONNECT

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
CONNECTION IDENTIFIER

(2) CONN-ACK

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH

(3) RELEASE

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
REASON DISPLAY

(4) RELEASE-COMP

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
REASON DISPLAY